APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 0 9 1991
Returned to applicant for correction.
Corrected application filed
Map filed MAY 1 3 1991 under 56250-T
Cons Managini
The applicantGene Menesini
P.O. Box 289 Yerington Nev. 89447 Street and No. or P.O. Box No. City or Town
89447, hereby make application for permission to appropriate the public State and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.)
Underground content
1. The source of the proposed appropriation is Underground water Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 2.6 C.F.S. second-feet One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet.
3. The water to be used for Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated 184 A.C.
(b) Stockwater, state number and kinds of animals to be watered
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream.
5. The water is to be diverted from its source at the following point. NE% of NE% Section 11 T12N, R25E. Describe as being within a 40-acre subdivision of public
MDM, from which point the E½ corner of said Section 11 Bears S. 26 ⁰ 8' 22" survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
E, 2804.58 feet
6. Place of use AC. 38 AC. in NW4 of SW4 Sect. 1, T12N, 25E 3.5 AC. SW4 of SW4 S 1,
Describe by legal subdivision. If on unsurveyed land, it should be so stated. T12N R25E, 34 AC. NE¼ of SE¼. Sec 2 T12N. R25E 38 AC SE¼ of SE¼ Sec 2, T12N
R25E 39 AC. NE뉰 of NE뉰 Sec ll, Tl2N R25E M.D.M. 184 AC.
7. Use will begin about. Jan 1 and end about. December 31 , of each year. Month and Day Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.). well pump pipeline to distribution State manner in which water is to be diverted, i.e. diversion structure, ditches and
ditches flud Irria
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works Aprox \$50,000

10. Estimated time required to construct works. 30 days 17 well completed, describe works. 18. Estimated time required to complete the application of water to beneficial use. 3 yrs. 19. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or ann consumptive use. Supplemental water to existing Permit (28067) (cert. 8909) this is A, request for more Diversion Rate, and not for additional water. For irrigation This same well as aplication 56250-T and 56251. Use Map under 28067 And 56250T 566 for place of use point of diversion By. S/Gene Menesini P.O. Box 289 Yerington Nev. 89447 Protested. DENIAL OF STATE ENGINEER Compared bc/bc This is to certify that I have examined the foregoing application, and do hereby XMMX the same, subject to the follow limitations: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed. ——————————————————————————————————		30 days	56278
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or ann consumptive use. Supplemental water to existing Permit(28067) (cert. 8909) this is A, request for more Diversion Rate, and not for additional water. For irrigation This is same well as aplication 56250-T and 56251. Use Map under 28067 And 56250T 563 for place of use point of diversion By S/Gene Menesini P.O Box 288 Yerington Nev. 89447 Protested. DENIAL OF STATE ENGINEER deny This is to certify that I have examined the foregoing application, and do hereby **MAR** the same, subject to the follow limitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed cubic feet per second.	Estimated time required to construct works	If well comp	ctcd, describe works.
Supplemental water to existing Permit(28067) (cert. 8909) this is A, request for more Diversion Rate, and not for additional water. For irrigation This is amme well as aplication 56250-T and 56251. Use Map under 28067 And 56250T 562 for place of use point of diversion By S/Gene Menesini P. O Box 289 Yerington Nev. 89447 Protested DENIAL OF STATE ENGINEER deny This is to certify that I have examined the foregoing application, and do hereby XNXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Estimated time required to complete the applic	cation of water to beneficial us	e 3 yrs.
for more Diversion Rate, and not for additional water. For irrigation This same well as aplication 56250-T and 56251. Use Map under 28067 And 56250T 562 for place of use point of diversion By S/Gene Menesini P.O Box 289 Yerington Nev. 89447 Protested DENIAL OF STATE ENGINEER deny This is to certify that I have examined the foregoing application, and do hereby NOME the same, subject to the follow limitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed. Cubic feet per second.		ock watering, state number ar	nd type of units to be served or annual
same well as aplication 56250-T and 56251. Use Map under 28067 And 56250T 562 for place of use point of diversion By S/Gene Menesini P.O Box 289 Yerington Nev. 89447 Protested. DENIAL OF STATE ENGINEER deny This is to certify that I have examined the foregoing application, and do hereby **TROK** the same, subject to the follow limitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed	Supplemental water to existing F	Permit(28067) (cert.	8909) this is A, request
By S/Gene Menesini P.O Box 289 Yerington Nev. 89447 Protested. DENIAL OF STATE ENGINEER deny This is to certify that I have examined the foregoing application, and do hereby XMX the same, subject to the follow imitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed	for more Diversion Rate, and not	t for additional wate	r. For irrigation This is
By S/Gene Menesini P.O Box 289 Yerington Nev. 89447 Protested. DENIAL OF STATE ENGINEER deny This is to certify that I have examined the foregoing application, and do hereby XMX the same, subject to the follow imitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed	same well as aplication 56250-T	and 56251. Use Map	under 28067 And 56250T 56251
Protested. DENIAL OF STATE ENGINEER deny This is to certify that I have examined the foregoing application, and do hereby xmax the same, subject to the follow limitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed			
Protested. DENIAL OF STATE ENGINEER deny This is to certify that I have examined the foregoing application, and do hereby xmx the same, subject to the follow limitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed			esini
DENIAL OF STATE ENGINEER deny This is to certify that I have examined the foregoing application, and do hereby xmmx the same, subject to the follow limitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed	ha/ h-		•
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the follow limitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed	mpared DC/ DC	Yerington	nev. 8944/
This is to certify that I have examined the foregoing application, and do hereby xmax the same, subject to the follow limitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed	tested		
This is to certify that I have examined the foregoing application, and do hereby what the same, subject to the follow limitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed			
This is to certify that I have examined the foregoing application, and do hereby xear the same, subject to the follow limitations and conditions: This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed	DENTAL	OF STATE EN	
This application is denied on the grounds that increasing the diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed		oing application, and do hereby	zame, subject to the following
diversion rate on the source of the Application would conflict with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed		enied on the grour	ds that increasing the
with existing rights, and would threaten to prove detrimental to the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed		-	•
the public welfare. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not exceed			
exceedcubic feet per second			•
exceedcubic feet per second			
exceedcubic feet per second			
exceedcubic feet per second			
exceedcubic feet per second			
exceedcubic feet per second			
exceedcubic feet per second			
exceedcubic feet per second			
exceedcubic feet per second		ata di sa sha a sa a di di	1 1 1 1 6 1 6 1 1 1 1 1 1 1 1 1 1 1 1 1
			" -
	eed	cubic feet per second	<u></u>
			·
Work must be prosecuted with reasonable diligence and be completed on or before	rk must be prosecuted with reasonable diligence	and be completed on or befo	ге
Proof of completion of work shall be filed on or before	of of completion of work shall be filed on or be	fore	
Application of water to beneficial use shall be made on or before	plication of water to beneficial use shall be made	e on or before	
Proof of the application of water to beneficial use shall be filed on or before			
Map in support of proof of beneficial use shall be filed on or before			
Completion of work filed IN TESTIMONY WHEREOF, IR. MICHAEL TURNIPSEED,			

State Engineer of Nevada, have hereunto sct my hand and the seal of my

March

office, this 19th day of

A.D. 19 92

(O)-5314 (Rev.)

Certificate No.....

Proof of beneficial use filed.....

Cultural map filed.....

.....Issued.....